

TROLLEYS



'PREMIER' GASTRO RACKING TROLLEYS

Trolle	ro 1/1 9 y 325mm	
Finish	 Stainless steel 25x25mm formed tubular frame Welded stainless 1.5mm trayslides – fitted with end stops 	
Models	10 / 15 or 20 tiers	
Dimension	s 450x610x1700mm high (includes bumpers)	
Loading	Max load per level = 20kg Max load per trolley = 200kg	
Trayslide pitch	10 tier model = 135mm 15 tier model = 90mm 20 tier model = 65mm	00
Features	 One piece formed side Blast Chiller compatib Trayslide end stops for Stainless grade 304 th 125mm non-marking 	e safe transportation roughout
Options	Food quality, clear cov'C' profile anti-tilt tray	
Prices in PRIC	E LIST page 11	

Trolle	ro 2/1 Y 530mm	
Finish	 Stainless steel 25x25mm formed tubular frame Welded stainless 1.5mm trayslides – fitted with end stops 	
Models	10 / 15 or 20 tiers	
Dimension	s 655x730x1700mm high (includes bumpers)	
Loading	Max load per level = 20kg Max load per trolley = 200kg	KP
Trayslide pitch	10 tier model = 135mm 15 tier model = 90mm 20 tier model = 65mm	0
Features	 One piece formed side Blast Chiller compatib Trayslide end stops for Stainless grade 304 th 125mm non-marking 	le r safe transportation iroughout
Options	 Food quality, clear cov 'C' profile anti-tilt tray 	



Gastro 2/1 Space Saving Stackable Trolley

'Z' frame design allows units to be stacked saving 80% space when unloaded

Finish	 Stainless steel 25x25mm box section frame Welded stainless 1.5mm trayslides – fitted with stops
Models	10 / 15 or 19 tiers
Dimensions	655x730x1700mm high
Loading	Max load per level = 20kg Max load per trolley = 200kg
Trayslide pitch	10 tier model = 135mm 15 tier model = 90mm 19 tier model = 65mm
Features	 Blast Chiller compatible Trayslide end stops for safe transportation Welded stainless grade 304 throughout 125mm non-marking castors (2x braked) Stackable 'Z' frame design – 80% space saving
Options	 Food quality, clear cover 'C' profile anti-tilt trayslides
Prices in PRICE	LIST page 11



Finish	 Stainless steel 25x25mm box section frame Stainless 1.2mm worktop – soundeadened Stainless 1.5mm trayslides – fitted with stops
Models	7 tier unit as standard
Dimensions	Gastro 1/1 = 450x610x900mm high (profile 325mm) Gastro 2/1 = 660x700x900mm high (profile 530mm)
Loading	Max load per level = 20kg Max load per trolley = 200kg
Trayslide pitch	90mm
Features	 125mm non-marking castors (2x braked) Trayslide end stops for safe transportation
Usage	Undercounter / Prep areasStands for Slicers / mixers etc
Options	Extended 'fold away' worktop'C' profile anti-tilt trayslides
Prices in PRICE	LIST page 11

`PREMIER' RACKING TROLLEYS

Trolleys

Bake 30"x Profile		
Finish	 Stainless steel 25x25mm formed tubular frame Welded stainless steel trayslides 1.5mm thickness 	
Models	10 / 15 or 20 tier models	
Dimension	s 840x585x1700mm high (all models)	
Loading	Maximum load per level = 20 kg Maximum load per trolley = 200kg	0
Trayslide pitch	10 tier model = 135mm 15 tier model = 90mm 20 tier model = 70mm	0
Features	 End stops to trayslides One piece, formed sid 125mm castors, non-r 	es
Options	 Heat resistant castors Full height back stop Space saving 'Z' frame 'C' profile anti-tilt tray Disposable polyethyler 	slides
Prices in PRIC	E LIST page 12	

teel formed ame	6			
ainless lides ickness			TATTT	
0 tier	E			
00mm high				
oad per J oad per Okg	L'AND		E D	
el = 135mm el = 90mm el = 70mm		(Y	
to trayslide , formed sig astors, non-	des	g (2x br	aked)	
	ene cove			
Э	ant castors back stop polyethyle	ant castors back stop polyethylene cove	ant castors back stop polyethylene covers ng 'Z' frame design	back stop polyethylene covers



Pizza Proving Trolley

Finish	 Stainless steel 25x25mm tubular frame Welded stainless steel trayslides 1.5mm thickness Stainless steel wire mesh removable grids
Options	5 tier model only
Dimensions	600x450x1750mm high
Loading	Maximum load per level = 20 kg Maximum load per trolley = 200kg
Trayslide pitch	325mm
Features	 c/w 5x stainless wire grids All grids removable for cleaning Dimensionally suited to all major brand retarder provers
Prices in PRICE	LIST page 12

Gastro 1/1 Racks



Single /

<u> </u>		
Double ,	/ Triple	Models

Finish	Stainless steel 25x25mm tubular frameWelded stainless steel trayslides 1.5mm thickness
Models	Single / Double and Triple units
Dimensions	Single = 380x530x1875mm high Double = 750x530x1875mm high Triple = 1115x530x1875mm high
Capacity	Single = $9x 1/1 150mm$ deep pans Double = $18x 1/1 150mm$ deep pans Triple = $27x 1/1 150mm$ deep pans
Trayslide pitch	180mm
Features	 Suitable for chiller and freezer use Promotes product identification Aids stock rotation Segregates stock – eliminates cross contamination
Option	 Mobile option available to all models Solid top for high level storage
Prices in PRICE LIST page 12	

'PREMIER' CATERING TROLLEYS



Serving Trolley

Finish	 Stainless steel grade 304 dished shelves 25mm diameter stainless steel tubular handles
Dimensions	800 / 900 and 1075mm lengths 500 / 550 and 660mm depths All models 960mm high
Loading	50 kg per level
Shelf pitch	2 tier models = 590mm 3 tier models = 280mm
Features	 Soundproofed shelves Dished, easy to clean surfaces Fully fabricated unit, TIG welded Push / pull handles 125mm castors, non-marking (2x braked) Bumpers fitted as standard
Usage	Canteen / Dining areasRoom service
Options	2 or 3 tier options'Hook on' refuse bin
Prices in PRICE	LIST page 15



	e + tronorm Trolley	7
Finish	Stainless stee	0

Finish	 Stainless steel one piece back and base Stainless 25x25mm box section formed frame Stainless 8mm wire dividers 	
Dimension	s Small model = 1125x500x810mm high Large model = 1125x640x810mm high	
Loading	200 kg max	
Features	 Heavy duty solid base + back Dividers adjustable @ 85mm increments 125mm castors, non-marking (2x braked) Bumpers fitted as standard 	
Usage	 Storage of plate + gastronorm pans Clearing of canteen / Dining areas Ideal within potwash areas 	
Capacity	400 plates @ 20cm diameter 250 plates @ 26cm diameter 54 1/1 pans @ 100mm deep	
Options	 Back-to-back model available Wire dividers Food quality clear cover 	
Prices in PRICI	Prices in PRICE LIST page 15	



Finish	 Stainless steel one piece back and base Stainless 25x25mm box section frame Stainless 8mm wire dividers
Dimension	s Small model = 1125x500x1075mm high Large model = 1125x640x1100mm high
Loading	200 kg max
Features	 Heavy duty solid base + back Dividers adjustable @ 85mm increments c/w plastic cutlery tray + 3x 1/3 st/st gastro pans Grab handles 125mm castors, non-marking (2x braked) Bumpers fitted as standard
Usage	 Clearing of canteen / Dining areas Storage within potwash areas Dispensing of trays and cutlery
Capacity	400 plates @ 20cm diameter 250 plates @ 26cm diameter
Options	Wire dividersFood quality clear cover
Prices in PRIC	E LIST page 15



Prices in PRICE LIST page 15

`PREMIER' CATERING TROLLEYS

Trolleys

n base

Glas: Trolle	ight and				
Finish	 Stainless steel 25x25 tube frame construction One piece formed sides Welded stainless trayslides 1.5mm – stops to both ends 		Car	form t ods-Iní	120 kg model shown
Models	Full height = 7 tier Low level = 4 tier Glass trolley = 3 tier	3			teel tubular 25mm diameter frame
mension	s Full height = 700x630 x17 Low level = 700x630x8 Glass trolley = 700x630x	50mm high		25x25mmHeavy duty	box section base y model uses 40x40 box section ba
ding	Maximum load per leve	l = 30 kg	Models		nodel = 400kg capacity ty model = 120kg capacity
slide	Maximum load per unit	r options)	Dimensi		nodel = 1025x600x1050mm high del = 880x580x1050mm high
า ures	 250mm (on glass trolley Heavy duty trayslides 125mm castors, non 	marking = full height	Feature		tion of bulk, heavy duty product o protect wall surfaces y castors
	50mm castors, non mGlass racks have increased	narking = low level ased pitch to suit tall glasses	Usage	 Ideal for 'G Bar / cellar 	Goods-in' areas areas
e	 Full height within war Low level within back 		Option		e st/st solid base
on		le to fit under worktop	Prices in P	RICE LIST page 15	





	 125mm castors, non-marking (2 Bumpers fitted as standard
Option	Freestanding static model

Prices in PRICE LIST page 16

`PREMIER' CLEARING AND DISPENSING TROLLEYS

Stainless Steel 'Premier' Tray Clearing Trolley Profile 375mm





	sides and centre frames – 25x25mm tubular section Stainless steel 8mm wire 'universal' trayslides
Models	Single model = 10 or 12 tier Double model = 2x10, 2x12 or 2x15 tier
Dimensions	Single model = 510x640x1700mm high Double model = 930x640x1700mm high (please note 15 tier models have increased height of 1900mm)
Loading	10 kg per level
Trayslide pitch	10 tier = 140mm 12 tier = 115mm 15 tier = 115mm
Tray size	460x360 / 480x370 / 530x325 / 350x270 / Fast food and gastro 1/1
Features	 Universal trayslide design Trayslide design allows 'easy feed' into trolley with stops for safe transportation One piece formed side and centre frames 125mm castors, non-marking (2x braked) – bumpers fitted as standard
Options	 Foodsafe enclosure panels fitted to sides only or sides and rear Coloured and stainless steel panels available Flat packed option available Total enclosure available with hinged lockable doors 'Wide entry' models available Room service model available

Prices in PRICE LIST page 13

Cutlery Sort / Dispense Trollev

Irolle	y Anti A
Finish	 Stainless steel 25mm diameter tubular frame Stainless 8mm wire frames for trays Grade 304 throughout One piece formed sides
Models	3 tray unit 2 tray unit + solid removable base / shelf
Dimension	s 630x600x1000mm high
Loading	50kg per total unit
Features	 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked)
Usage	Soiled cutlery collectionClean cutlery storage / segregation
Options	Extended height model available (4 tiers)

Tray Dispe	+ Cutlery ense
Finish	 25x25mm tubular frame construction 8mm retaining wires Grade 304 throughout One piece formed sides and rear frames
Models	1, 2 or 3 tier cutlery tray(s) models
Dimension	s 600x510x1150mm high
Tray size	Maximum tray size 480mmx370mm
Capacity	100 trays
Usage	Canteen / Dining areas
Features	 Plastic cutlery 4 compartment tray included 125mm castors, non-marking (2x braked) – bumpers fitted as standard
Options	Custom facility to cater for specific tray sizeSolid base
Prices in PRIC	E LIST page 13





Prices in PRICE LIST page 13

CLUB' EPOXY COATED CLEARING AND DISPENSING TROLLEYS

Trolleys

 ded 25025mm tubular frame construction and the piece formed sides and centre frames Black and grey standard colours Black and grey st	Čluk Clea	xy Coated o' Tray iring Trolley 375mm	Epoxy Coated 'Club' Tray + Cutlery Dispense
 Black and grey standard colours Dimensions 505x510x1150mm high Double model = 210x540x1700mm high Double model = 310x540x1700mm high Double model = 310x540x170mm high Doub	inish	steel 25x25mm tubular frame construction One piece formed sides and centre frames	25x25mm tubular frame construction 8mm retaining wires One piece formed sides and rear frames Black and grey standard colours
Addeds Single model = 10 or 12 time Dimensions Single model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x1700mm high Doddese model = 510x640x170x1 Tay size 400x701x50x257350x257350x257350x2707 Fast food and qastro 11 Ecusom facility to cater for specific tray size Tay size For pace formed side and carter frames Toptions Froesher enclosure panels fitted to sides only or sides and frad Options Coloured and stainles Tay size Monumetad evaluable Finish Epoxy Cocated Club / Cutlery Solid base Solid base Solid base Finish Epoxy coated steel Solid			
Double model = 2x10, 2x12 or 2x15 ter Dimensions Single model = 30x640x1700mm high (please note 15 ter models have increased height of 1900mm Loading 10 kg per level Double model = 115mm Image: Static cullery 4 compartment trays included 12 tier = 115mm Image: Static cullery 4 compartment tray size Solid base Ecourse Provide not 15 tier = 115mm Image: Static cullery 4 compartment tray size Solid base Solid base Prices in PRICE UST page 14 Epoxy Coatted 'Club' Tray size Finish Epoxy coated steel 25x25mm tubular frame construction One piece formed side and centre frames indices in PRICE UST page 14 Epoxy Coatted 'Club' Cutlery Dispense Finish Epoxy coated steel 25x25mm tubular frame construction Boom service model available Tray size Model S Atory nit Cibid base Tray size Proces in PRICE UST page 14 Epoxy coated steel 25x25mm tubular frame construction Black and grey standard colours Dimensions 605x510x790mm high 'Tray size Model S Tray unit 2 tray unit a solid per orage Solid base Prices in PRICE UST page 14 Epoxy coated steel 25x25mm tubular frame construction Solid base	Vodels		
Dimensions Single model = 510x640x1700mm high (please note 15 tier models have increased height of 1900mm Image: Canteen / Dining areas Loading 10 kg per level Image: Canteen / Dining areas Pastic cuttery 4 compartment trays included 12 kg re = 115mm Pastic cuttery 4 compartment trays included 12 km castors, non-marking (2x braked) - bumpers fitted as standard Options F Cauteen / Dining areas Pastic cuttery 4 compartment trays included 15 kiter = 115mm Trayside design allows 'reasy feed' into trolley and stops for safe transportation 0 che piece formed side and centre frames 12 farm castors non-marking (2x braked) - bumpers fitted as standard Diptions F Codsafe enclosure parels fitted to sides only or sides and rear Coloured and stainless steel panels available Fit and encoure available Tel packed option available Tel and encoure available Tel and encoure available Tel and encoure available Fitted as standard colours Dimensions 505x510x790mm high Tray size Tray size 480mmx370mm Capacity 100 trays Epoxy Coated steel Trolley Features Solid base Pices in PRICE UST page 14 Workktop Mounted Targ tell as tandard colours Workktop Mounted Capacity Options Epoxy coated steel Trolley Solid base Pices in PRICE UST page 14 Workktop Mounted Targe tell mounter frames for trays Sort / Dispenense Finale Epoxy coated steel S			
Iplace mote: 15 for models have finged increased height of 1900mm Loading 10 kg per level Trayside 10 kg per level Inrevision Image:	Dimension		
Options Custom facility to cater for specific tray size Site = 115mm Solid base Prices in PRICE LIST page 14 Prices in		(please note 15 tier models have increased height of 1900mm	Features Plastic cutlery 4 compartment trays included 125mm castors, non-marking (2x braked) –
is bitch 12 ther = 115mm 15 ther = 115mm 15mm 15 ther = 115mm 15mm Fray size 450x360 /480x370 / 530x325 / 350x270 / Fast food and gastro 1/1 Fast food and gastro 1/1 Features Trayslide design allows 'easy feed' into trolley and stops for safe transportation Dre piece formed side and centre frames 125mm castors, non-marking (2x braked) - bumpers fitted as standard Droodsafe enclosure panels fitted to sides only or sides and rear frames 0 Fait packed option available Fait packed option available Back and grey standard colours 8 Total enclosure available with hinged lockable doors Brom service model available Tray size 480mmx370mm Finish Epoxy Coated steel 25x25mm table Eatures 125mm castors, non-marking (2x braked) - bumpers fitted as standard Options Sort / Dispense Trolley Eatures 125mm castors, non-marking (2x braked) - bumpers fitted as standard Options Epoxy coated steel 25x25mm table Solid base 9 Feel Bmm wire frames for trays 25x25 most / Dispense Trolley Utom faility to cater for specific tray size 9 Solid base 9 Core piece formed sides 18 Jack and grey standard colours Worktopp Mountedd Condiment / 25x25mm tabular frame			
Tray size 460x360 /480x370 / 530x325 / 350x270 / Fast food and gastro 1/1 if eatures Trayslide design allows 'easy feed' into trolley and stops for safe transportation One piece formed side and centre frames Elzom castors, non-marking (2x braked) - bumpers fitted as standard Dotal enclosure panels fitted to sides only or sides and rear Coloured and stainless steel panels available Flat packed option available Room service model available Room service model available Room service model available Room service model available Tray size Maximum tray size 480mmx370mm Capacity 100 trays Features 125mm castors, non-marking (2x braked) - bumpers fitted as standard Options Epoxy Cocated steel 25x25mm tubular Tray unit + solid removable base / shelf Dimensions 630x60x1000mm high Sold and grey standard colours Worktopp Moounted Condiment / Cutlery Dispoense Black and grey standard colours Workstop Moounted Condiment / Cutlery Dispoense Black and grey standard colours Workstop Moounted Condiment / Cutlery Dispoense Sold base Prices in PRICE UST pospeonse Sold base Sold base Prices in PRICE UST pospeonse Sold base Sold base Sold base Prices in PRICE UST pospeonse Sold base 		12 tier = 115mm	Solid base
 Features Trayslide design allows 'easy feed' into trolley and stops for safe transportation Options Foodsafe enclosure panels fitted to sides only or sides and rear Coloured and stainless steel panels available Flat packed option available Total enclosure available with hinged lockable doors Wide entry' models available Room service model available Room service model available Room service model available Room service model available Taga size Maximum tray size 480mmx370mm Capator Scort / Dispensee Iroolley Steel 8mm wire frames for trays One piece formed sides Back and grey standard colours Worktop Mounted Condiment / Cutlery Dispensee Back and grey standard colours Worktop Mounted Cutlery Dispensee Back and grey standard colours Worktop Mounted Cutlery Dispense Back and grey standard colours Workstop Mounted Cutlery Dispense Back and grey standard colours Finish Epoxy coated steel Sourd J Charter and standard Sourd J Charter and standard Sourd J Dispense Back and grey standard colours Mounted Condiming Solos per total unit Features Izomm castors, non-marking (2x braked) Solid cuttery collection Solid cuttery colection Solid cuttery collection So	Tray size	460x360 /480x370 / 530x325 / 350x270 /	
 Coloured and stainless steel panels available Flat packed option available Flat packed option available Total enclosure available with hinged lockable doors Wide entry' models available Room service model available Room service model available Tray size 480mmx370mm Capacity 2 Coctfeed Club' Cutlery Sort / Dispense Trolley Finish Epoxy coated steel 25x25mm tubular frame for trays One piece formed sides and rear frames Black and grey standard colours Worktop Mounted Conditionem t/ Cutlery Dispense Black and grey standard colours Worktop Mounted Conditionem to the system of trays One piece formed sides Black and grey standard colours Worktop Mounted Cutlery Dispense Finish Epoxy coated steel 2 or 3x removable base / shelf Dimensions 50x60x1000mm high Loading Solked cutlery collection Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Black and grey standard colours 	Options	 and stops for safe transportation One piece formed side and centre frames 125mm castors, non-marking (2x braked) – bumpers fitted as standard Foodsafe enclosure panels fitted to sides only 	'Club' Tray Dispense Finish Epoxy coated steel 25x25mm
 Wide entry' models available Room service model available Tray size Maximum tray size 480mmx370mm Capacity 100 trays Features 125mm castors, non-marking (2x braked) - bumpers fitted as standard Options Custom facility to cater for specific tray size Solid base Prices in PRICE LIST page 14 Worktop Mounted Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours Wodels 3 tray unit Solid per total unit Features 2 or 3x removable base / shelf Dimensions 630x600x1000mm high coading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Jsage Solied cutlery collection Clean cutlery storage / segregation 		 Coloured and stainless steel panels available Flat packed option available 	One piece formed sides and rear frames
Itigs in PRICE UST page 14 Epoxy Coated fclub' Cutlery Sort / Dispense Trolley Finish Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours Models 3 tray unit 2 tray unit ± solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays • Trays slanted for easy access / sorting • 125mm castors, non-marking (2x braked) Usage • Soiled cutlery collection • Clean cutlery storage / segregation		 'Wide entry' models available 	Dimensions 605x510x790mm high
Epoxy Coated Club' Cutlery Sort / Dispense Trolley Finish Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours Wodels 3 tray unit 2 tray unit + solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Soiled cutlery collection Clean cutlery storage / segregation			Tray sizeMaximum tray size 480mmx370mm
Epoxy Coated Club' Cutlery Sort / Dispense Trolley Image: Comparison of the standard of the stan	rices in PRIC	E LIST page 14	Capacity 100 trays
Club' Cutlery Sort / Dispense Trolley Image: Cutlery Solid base Finish Epoxy coated stel 25x25mm tubular frame construction Steel 8mm wire frames for trays Image: Cutlery Dispense One piece formed sides Black and grey standard colours Wodels 3 tray unit 2 tray unit + solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays 125mm castors, non-marking (2x braked) Usage Solid cutlery collection Clean cutlery storage / segregation			
Sort / Dispense Trolley Finish Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours Models 3 tray unit 2 tray unit + solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays 17ays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Clean cutlery storage / segregation	Εροχ		
 Finish Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours Wodels 3 tray unit 2 tray unit + solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Clean cutlery storage / segregation Worktop Mounted Condiment / Cutlery Dispense Worktop Nounted Condiment / Cutlery Dispense Encine 4 and grey standard colours Dimensions 725x510x530mm high Features Inclined design allows easy access to product All items easily removable for cleaning / stock replenishing 			Options Custom facility to cater for specific tray size Solid base
 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours Models 3 tray unit 2 tray unit + solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Clean cutlery storage / segregation 	'Čluk Sort ,	o' Cutlery / Dispense	Options Custom facility to cater for specific tray size Solid base
 Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours Models 3 tray unit 2 tray unit + solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Clean cutlery storage / segregation 	'Čluk Sort ,	o' Cutlery / Dispense	Options Custom facility to cater for specific tray size Solid base
 One piece formed sides Black and grey standard colours Models 3 tray unit 2 tray unit + solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Clean cutlery storage / segregation Concliment / Cutlery Dispense Finish Epoxy coated 25x25mm tubular frame construction 8mm wire frame for gastro pans and cutlery to Black and grey standard colours Dimensions 725x510x530mm high Features Inclined design allows easy access to product All items easily removable for cleaning / stock replenishing 	'Čluk Sort / Trolle	 Cutlery Dispense Epoxy coated steel 25x25mm tubular 	Options • Custom facility to cater for specific tray size • Solid base Prices in PRICE LIST page 14 Worktop
 Black and grey standard colours Models 3 tray unit 2 tray unit + solid removable base / shelf Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Clean cutlery storage / segregation Cutlery Dispense Epoxy coated 25x25mm tubular frame construction 8mm wire frame for gastro pans and cutlery to Black and grey standard colours Dimensions 725x510x530mm high Features Inclined design allows easy access to product All items easily removable for cleaning / stock replenishing 	'Čluk Sort / Trolle	 Cutlery Dispense Epoxy coated steel 25x25mm tubular frame construction 	Options • Custom facility to cater for specific tray size • Solid base Prices in PRICE LIST page 14 Worktop Mounted
Dimensions 630x600x1000mm high Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Clean cutlery storage / segregation Inclined design allows easy access to product stock replenishing	'Čluk Sort / Trolle	 Cutlery Dispense Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides 	Options • Custom facility to cater for specific tray size • Solid base Prices in PRICE LIST page 14 Worktop Mounted
Loading 50kg per total unit Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 8 mm wire frame for gastro pans and cutlery trays Trays slanted for easy access / sorting 125mm castors, non-marking (2x braked) Jsage Soiled cutlery collection Clean cutlery storage / segregation Inclined design allows easy access to product	ÉCluk Sort / Trolle	 Cutlery Dispense y Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours 3 tray unit 	Options • Custom facility to cater for specific tray size • Solid base Prices in PRICE LIST page 14 Worktop Mounted Condiment /
Features 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting Black and grey standard colours I25mm castors, non-marking (2x braked) Dimensions 725x510x530mm high Usage Soiled cutlery collection Clean cutlery storage / segregation Inclined design allows easy access to product	f Cluk Sort Trolle Finish	 by Cutlery Dispense by Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours 3 tray unit 2 tray unit + solid removable base / shelf 	Options • Custom facility to cater for specific tray size • Solid base Prices in PRICE LIST page 14 Worktop Mounted Condiment / Cutlery Dispense
 125mm castors, non-marking (2x braked) Usage Soiled cutlery collection Clean cutlery storage / segregation 	f Cluk Sort Trolle Finish Models	 by Cutlery Dispense by Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours 3 tray unit 2 tray unit + solid removable base / shelf 15 630x600x1000mm high 	Options • Custom facility to cater for specific tray size • Solid base Prices in PRICE LIST page 14 Worktop Mounted Condiment / Cutlery Dispense Finish • Epoxy coated 25x25mm tubular frame construction
Solied cutlery collection Clean cutlery storage / segregation All items easily removable for cleaning / stock replenishing	Cluk Sort Trolle Finish Models Dimension Loading	 Providence of the second steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours 3 tray unit 2 tray unit + solid removable base / shelf 15 630x600x1000mm high 50kg per total unit 2 or 3x removable (4 compartment) cutlery trays 	Options • Custom facility to cater for specific tray size • Solid base Prices in PRICE LIST page 14 Worktop Mounted Condiment / Cutlery Dispense Finish • Epoxy coated 25x25mm tubular frame construction • Binack and grey standard colours
	Cluk Sort Trolle Finish Models Dimension Loading	 Cutlery Dispense y Epoxy coated steel 25x25mm tubular frame construction Steel 8mm wire frames for trays One piece formed sides Black and grey standard colours 3 tray unit 2 tray unit + solid removable base / shelf 630x600x1000mm high 50kg per total unit 2 or 3x removable (4 compartment) cutlery trays Trays slanted for easy access / sorting 	Options Custom facility to cater for specific tray size Solid base Prices in PRICE LIST page 14 Worktop Mounted Condiment / Cutlery Dispense Finish Epoxy coated 25x25mm tubular frame construction Black and grey standard colours Dimensions 725x510x530mm high
= includes gaste parts i cattery tay	Cluk Sort Trolle Finish Models Dimension Loading Features	 Cutlery Cutlery Dispense E E E E Dispense E E Dispense E E E B B B B C B C D D	Options • Custom facility to cater for specific tray size • Solid base Prices in PRICE LIST page 14 Worktop Mounted Condiment / Cutlery Dispense Finish • Epoxy coated 25x25mm tubular frame construction • Simm wire frame for gastro pans and cutlery tray • Black and grey standard colours Dimensions 725x510x530mm high Features • Inclined design allows easy access to product • All items easily removable for cleaning /

STORAGE AND TRANSPORTATION

"Queen Mary" Banquet Cart



Finish	 Stainless steel, fully fabricated, grade 304 throughout 1.5mm soundeadened solid format shelves 40x40mm box section legs
Models	6 tier flat format shelves 6 tier shelves with upstands to sides and rear
Dimension	s 1600x750x1550mm high (1650mm high including upstand)
Loading	200kg per level
Shelf pitch	225mm
Features	 Fully fabricated unit Soundeadened shelves 200mm heavy duty castors Wrap around bumper to protect corridor surfaces 100mm upstands Ideal for heavy duty applications
Usage	 Banqueting areas for bulk transportation of crockery etc
Options	 Hook on plastic bin for scrapping of waste
Prices in PRIC	E LIST page 16

Gastro Preparation Tank Trolleys



Finish Stainless steel grade 304 throughout 25x25mm formed box section frame shows 2x1/1 gastro unit with 'water-well' Models 2x 1/1 gastro unit 3x 1/1 gastro unit 2x 1/1 gastro unit with 'water-well' **Dimensions** 2x 1/1 gastro unit = 740x630x1000mm high 3x 1/1 gastro unit = 1070x630x1000mm high 2x 1/1 gastro unit with 'water-well'= 770x640x1000mm high Loading 2x 1/1 unit = 60kg 3x 1/1 unit = 90kg 2x 1/1 unit with 'water-well' = 100 kgTransportation of bulk prepared veg / sauces **Features** St/St gastro pans 150mm deep included Push / pull handle for easy manoeuvrability • 'Water-well' unit c/w integral drain Usage Transportation from coldroom to kitchen of prepared veg Ideal in portioning and packaging workshops Safe transportation of bulk items Options Removable solid base shelf Prices in PRICE LIST page 17

Chicken Rotisserie Trolleys

Finish



	 304 throughout Stoved enamel finished st/st frames – red or white
Model	Raw chicken – redCooked chicken – white
Dimensions	5 600x670x900mm high
Frame	 25x25x1.2mm box section Lugs welded to frame to accept removable wire skewer holders 25x25 angle base frame to accept removable st/st base shelf
Worktop	 1.5mm plate with cut-out to accept gastro 1/1 pan Cooked model to have bag holder welded onto side 200mm worksurface to allow operator to remove product from skewers
Features	 Colour co-ordinated frame to easily identify and avoid cross contamination Hygienic work surface Stainless gastro pan 150mm deep for storage of product Removable wire skewer holders and base drip-tray Braked and swivel castors fitted with bumpers Compact design to easily move around behind counter

Prices on application





www.eais-foodservice.co.uk

Finish	 Stainless steel grade 304 throughout Roller controls allow unit to be raised or lowered Optional stainless base tray
Models	2x 1/1 gastro unit
Dimensions	770x970x1140mm high
Container height	Lowered = 400mm / raised = 800mm SSL
Loading	60kg
Features	 Designed to be used with tilting pans Non-reversible lowering system Safe storage / transportation of hot foods / liquids Accurate level controls Push / pull handle for easy manoeuvrability
Options	Removable base tray – 40mm drip pan
Prices in PRICE	LIST page 17

`PREMIER' ROOM SERVICE

Room Service Serving Trolley

Trolleys

Room Service Clearing Trolley

Finish	 Stainless steel 25x25mm tubular frame Stainless steel 8mm wire 'universal' trayslides Foodsafe polystyrene panels
Models	Single bank 6 tier or double bank 2x 6 tier
Dimensions	Single bank = 640x510x1450mm high Double bank = 930x640x1450mm high
Loading	15 kg per level
Trayslide pitch	200mm
Trays	460x360 / 480x370 / 530x325 / 350x270mm
Features	 Wipe clean concealing panels Easy feed trayslides for safe tray access and stops for transportation Bumpers to protect corridor wall surfaces 125mm castors, non-marking (2x braked)
Options	 Custom made facility to suit specific room service trays
Prices in PRICE	LIST page 16



Linen Trolley

Finish Stainless steel solid shelves Stainless steel wire retaining mesh and base bin Stainless push / pull handles Models 5 tier solid shelves 4 tier solid shelves and base bin Dimensions 1200x600x1600mm high Features • Wire bin for bulk storage of linens / dirties Solid shelf storage for transportation of clean linen and towels • Bumpers to protect corridor wall surfaces 125mm castors, non-marking (2x braked) • Waked)		
4 tier solid shelves and base bin Dimensions 1200x600x1600mm high Features • Wire bin for bulk storage of linens / dirties • Solid shelf storage for transportation of clean linen and towels • Bumpers to protect corridor wall surfaces	Finish	Stainless steel wire retaining mesh and base bin
 Features Wire bin for bulk storage of linens / dirties Solid shelf storage for transportation of clean linen and towels Bumpers to protect corridor wall surfaces 	Models	
 Solid shelf storage for transportation of clean linen and towels Bumpers to protect corridor wall surfaces 	Dimensions	1200x600x1600mm high
Stainless retaining mesh panels to sides and rear	Features	 Solid shelf storage for transportation of clean linen and towels Bumpers to protect corridor wall surfaces 125mm castors, non-marking (2x braked)



Finish	 Stainless steel grade 304 dished shelves 25mm diameter stainless steel one piece frame Push / pull handles Stainless 8mm retaining wires 	
Options	2 or 3 tier options	
Dimensions	900mm length x 550mm depth x 960mm high	
Loading	50 kg per level	
Shelf pitch	2 tier models = 590mm 3 tier models = 280mm	
Features	 Soundproofed shelves Dished easy to clean surfaces Bumpers to protect corridor wall surfaces Retaining wires for safe transportation 125mm castors, non-marking (2x braked) 	
Options	Hook on st/st refuse / bottle cap container	
Prices in PRICE LIST page 16		

Housekeeping / Breakfast Trolley

Finish	 Stainless steel 25x25mm tubular frame Stainless steel 1.5mm solid worktop with 8mm retaining wires Stainless 1.5mm welded trayslides Stainless push / pull handle 		
Dimensions 880x625x970mm high			
Trayslide	2x banks of 7 tiers at 90mm pitch		
Features	 Soundeadened top + retaining wire Trayslides to accommodate plastic boxed storage under or gastro 1/1 pans Bumpers to protect corridor wall surfaces 125mm castors, non-marking (2x braked) Push / pull handle 		
Options	 Removable linen collection bin Fold down worktop extension Food quality cover Enclosure panels to sides only 		
Prices in PRIC	Prices in PRICE LIST page 16		

TROLLEY ACCESSORIES

Gastronorm Pans

Finish	 Stainless steel / clear polycarbonate or polypropylene
Sizes	2/1, 1/1, 1/2, 1/3, 1/4, 1/6, 1/9 (lids to suit all)
Depths	20mm, 65mm, 100mm, 150mm, 200mm
Format	Solid or perforated
Prices in PRICE LIST page 18	



polypropylene with seal lids



stainless steel pan 1.0mm thickness



polycarbonate pans, lids and inserts



Gastronorm Wire Grids / Baskets + Bottle Shelves

Finish	Stainless steel and Nylon coated wire	
Sizes	2/1 and 1/1	
Dimensions	2/1 = 650x530mm 1/1 = 530x325mm	
Models	Grids = Flat or with upstand Baskets = 60mm deep / 100mm deep Bottle shelves = perforated st/st	
Usage	 Stainless steel = ovens, fridge / freezer / trolley Nylon wire = fridge / freezer / trolley Bottle shelves = back bar display fridges 	
Features	 Open grid wire grids + baskets promotes air flow Perforated bottle shelves allow storage of single units 	
Prices in PRICE LIST page 18		

Dishwash 500x500 Basket Racks



Finish	 High impact polymer 	
Size	500x500x100mm high	
Models	Universal open base 9 / 16 / 25 / 36 + 49 compartment bases Plate base Tray base (open to one side) Utensil / cutlery base	
Options	 50mm Extenders (to protect glasses) lids (for cutlery use) 	
Features	 Stackable design Open side profile Handles to all sides for ease of use 	
Prices in PRICE LIST page 18		

