

# DOMINATORPLUS

G3478 Steaming Oven

#### Key features

- 1/1 gastronorm compatible
  Easy to trasnfer directly to serving areas
- Six shelf positions with six shelves supplied - Ideal for bulk or individual food items
- Manually operated drain system
   Reduces installation time and cost
- 304 stainless steel oven interior
  Guaranteed to provide a long life of service
- Removable shelf hangers
   Makes it easier to clean oven chamber
- Supplied with flanged feet
  Easily secure oven to floor for added safety
- Piezo ignition
   Simple and problem-free operation
- Fail-safe protection mode
   Need more details for this

#### Accessories

• Oven shelf


## Similar Models

• E3478 electric steaming oven



## DOMINATORPLUS

G3478 Steaming Oven



## Installation notes

Adequate ventilation must be provided to supply sufficient fresh air for combustion and to allow easy removal of any such products that may present a risk to health. Please consult current legislation for details that relate to specific locations.

Install unit on a level, fireproof surface in a well-lit, draught free position. If floor is made of a combustible material, local fire requirements must be checked to ensure compliance.

A clearance of 150mm should be observed between appliance and any combustible wall.

| Specification | details |
|---------------|---------|
|---------------|---------|

| •   |                   |     |  |
|---|-------------------|-----|--|
| Total rating (natural and propane - kW - Nett)      | 14                |     |  |
| Total rating (natural and propane - btu/hr - gross) | 52,545            |     |  |
| Inlet size (natural and propane)                    | 1/2" BSP          |     |  |
| Flow rate - natural (m³/hr)                         | 1.46              |     |  |
| Flow rate - propane (kg/hr)                         | 1.09              |     |  |
| Inlet pressure (natural and propane - mbar)         | 20 / 37           |     |  |
| Operating pressure (natural and propane - mbar)     | 10 / 34           |     |  |
| Electrical supply voltage                           | 230V~             |     |  |
| Water connection (BSP)                              | 1/2"              |     |  |
| Pan dimensions (w x d x h - mm)                     | 720 x 430 x 200   |     |  |
| Water capacity (litres)                             | 60                |     |  |
| Weight (kg)   | 118               |     |  |
| Packed weight (kg)                                  | 130               |     |  |
| Packed dimensions (w x d x h - mm)                  | 650 x 1000 x 1850 |     |  |
| GTIN numbers  | Nat Gas           | LPG |  |
|   |                   |     |  |

