





F76/152 - IMC Ventus V60
Bottle Cooler [Front
Load] - Glass Door Stainless Steel Frame - H
800 mm - W 600 mm R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V60 can be tailored to suit any bar environment.

- Reduced 800mm height
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature

- Energy efficient EcoSmart controller at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Single double-glazed lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on

Specifications

Summary		Power and Performance	
Brand	IMC	Total Power kW	0.393
Range	Ventus	Temperature Range °C	2-6
Power Type	Electric	IP Rating	IPX1
Unit Type	Free-standing	Temperature Control	Electronic
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105197348		

Key Specifications Capacity **Capacity Bottles Door Hinge** Right 78 **Door Location** Front **Capacity Litres** 108 Lockable Door Colour Stainless Steel **Number of Doors** 1 **Reversible Door** Yes Door Type Standard frame, glass Number of Shelves included 2 **Number of Shelf Positions** 29 Refrigerant Type R290 Type of Lighting LED





Weights and Dimensions		Supply Connections	
Unit Height (External) mm	800	Requires Installation	No
Unit Width (External) mm	600	Requires Electrical Supply	Yes
Unit Depth (External) mm	500	UK 3 Pin Plug	Yes
Height (Internal) mm	655	Requires Hardwiring	No
Width (Internal) mm	526	Electrical Supply Rating Watts	393
Depth (Internal) mm	377	Single Phase Amps	1.64
Shelf Dimensions Width mm	510	Single Phase Voltage	240
Shelf Dimensions Depth mm	373		
Net Weight Kg	60		
Shipping			
Packed Weight Kg	66		
Packed Height cm	106		
Packed Width cm	67		
Packed Depth cm	58		

	Avai	lable	Opt	ions
--	------	-------	-----	------

DOOL	rype

VS408 VS408 - Change to Left Hinged Glass Door

VS409 VS409 - Change to Solid Door

VS477 VS477 - Change to Fixing Point Glass Door VS480 VS480 - Change to L/H Fixing Point Glass Door VS503 VS503 - Change to L/H Fixing Point Solid Door VS504 VS504 - Change to Fixing Point Solid Door VS618

VS618 - Change to Left Hinged Solid Door

Wood Cladding

VS404 VS404 - Wood Cladding Kit - Add to F-Point Door

Handle Type

VS446HOR VS446HOR - Short Horizontal Handle VS446VER VS446VER - Short Vertical Handle VS447HOR VS447HOR - Long Horizontal Handle VS447VER VS447VER - Long Vertical Handle

Lighting

VS852 VS852 - Change to Red LED Lights VS853 VS853 - Change to Green LED Lights VS854 VS854 - Change to Blue LED Lights

Shelving Type

VS359 VS359 - Change to Wine Shelving VS399 VS399 - Change to Perforated Shelving

EU Plug

VS401 VS401 - Change to EU Plug

De-Gassed

VS1017 VS1017 - De-Gassed for Air Freight





Available Accessories

A12/091/Z1 Wire Shelf - Chrome - for M60 Bottle Cooler

A12/100 Wine Shelf - Chrome - for M60 Bottle Cooler

S76/048 Perforated Shelf - for V60 - 500D



A member company of

