





F76/151 - IMC Ventus V60 Bottle Cooler [Front Load] - Glass Door -Stainless Steel Frame - H 850 mm - W 600 mm -R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V60 can be tailored to suit any bar environment.

Reduced 850mm height

- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 78 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature

- Energy efficient EcoSmart controller at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Single double-glazed lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on

Specifications

Summary		Power and Performance	
Brand	IMC	Total Power kW	0.393
Range	Ventus	Temperature Range °C	2-6
Power Type	Electric	IP Rating	IPX1
Unit Type	Free-standing	Temperature Control	Electronic
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105197324		
Key Specifications		Capacity	
Door Hinge	Right	Capacity Bottles	78
Door Location	Front	Capacity Litres	119
Lockable Door	Yes		
Colour	Stainless Steel		
Number of Doors	1		
Reversible Door	Yes		
Door Type	Standard frame, glass		
Number of Shelves included	2		
Number of Shelf Positions	29		
Refrigerant Type	R290		
Type of Lighting	LED		





Weights and Dimensions

Unit Height (External) mm		
Unit Width (External) mm	600	
Unit Depth (External) mm	500	
Height (Internal) mm	705	
Width (Internal) mm	526	
Depth (Internal) mm	377	
Shelf Dimensions Width mm	510	
Shelf Dimensions Depth mm	373	
Net Weight Kg	0	

Shipping

Packed Weight Kg	64
Packed Height cm	106
Packed Width cm	67
Packed Depth cm	58

Requires Installation No **Requires Electrical Supply** Yes UK 3 Pin Plug Yes **Requires Hardwiring** No **Electrical Supply Rating Watts** 393

1.64

240

Supply Connections

Single Phase Amps

Single Phase Voltage

Available Options		
Door Type		
VS407	VS407 - Change to Left Hinged Glass Door	
VS431	VS431 - Change to Solid Door	
VS455	VS455 - Change to Left Hinged Solid Door	
VS476	VS476 - Change to Fixing Point Glass Door	
VS479	VS479 - Change to L/H Fixing Point Glass Door	
VS505	VS505 - Change to L/H Fixing Point Solid Door	
VS506	VS506 - Change to Fixing Point Solid Door	
Wood Cladding		
VS404	VS404 - Wood Cladding Kit - Add to F-Point Door	
10101	VS404 - Wood Cladding Nit - Add to 1 -1 onit boor	
Handle Type		
VS446HOR	VS446H0R - Short Horizontal Handle	
VS446VER	VS446VER - Short Vertical Handle	
VS447HOR	VS447HOR - Long Horizontal Handle	
VS447VER	VS447VER - Long Vertical Handle	
Lighting		
VS852	VS852 - Change to Red LED Lights	
VS853	VS853 - Change to Green LED Lights	
VS854	VS854 - Change to Blue LED Lights	
Shelving Type		
VS359	VS359 - Change to Wine Shelving	
VS399	VS399 - Change to Perforated Shelving	
EU Plug		
VS401	VS401 - Change to EU Plug	
De-Gassed		
VS1017	VS1017 - De-Gassed for Air Freight	





Available Accessories		
A12/091/Z1	Wire Shelf - Chrome - for M60 Bottle Cooler	
A12/100	Wine Shelf - Chrome - for M60 Bottle Cooler	
S76/048	Perforated Shelf - for V60 - 500D	

lincat fift

A member company of

