





F76/253 - IMC Ventus V90
Bottle Cooler [Front
Load] - Glass Door Stainless Steel Frame - H
900 mm - W 900 mm - D
450 mm - R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V90 can be tailored to suit any bar environment.

- Reduced 450mm depth
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✓ Elegant, flexible storage for up to 156 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Twin double-glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on

Specifications

Summary		Power and Performance	
Brand	IMC	Total Power kW	0.410
Range	Ventus	Temperature Range °C	2-6
Power Type	Electric	IP Rating	IPX1
Unit Type	Free-standing	Temperature Control	Electronic
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105197645		

Key Specifications		Capacity		
Door Hinge	Left; Right	Capacity Bottles	156	
Door Location	Front	Capacity Litres	204	
Lockable Door	Yes			
Colour	Stainless Steel			
Number of Doors	2			
Door Type	Standard frame, glass			
Number of Shelves included	2			
Number of Shelf Positions	29			
Refrigerant Type	R290			
Type of Lighting	LED			





Weights and Dimensions		Supply Connections		
Unit Height (External) mm	900	Requires Installation	No	
Unit Width (External) mm	900	Requires Electrical Supply	Yes	
Unit Depth (External) mm	450	UK 3 Pin Plug	Yes	
Height (Internal) mm	755	Requires Hardwiring	No	
Width (Internal) mm	826	Electrical Supply Rating Watts	410	
Depth (Internal) mm	327	Single Phase Amps	1.71	
Shelf Dimensions Width mm	810	Single Phase Voltage	240	
Shelf Dimensions Depth mm	323			
Net Weight Kg	0			
Shipping				
Packed Weight Kg	0			
Packed Height cm	0			
Packed Width cm	0			
Packed Depth cm	0			

Available Options

Door Type

VS416 - Change to Fixing Point Solid Door

VS428 - Change to Solid Door

VS469 VS469 - Change to Frameless Glass Door
VS472 VS472 - Change to Fixing Point Glass Door

Wood Cladding

VS405 - Wood Cladding Kit - Add to F-Point Door

Handle Type

VS446HORVS446HOR - Short Horizontal HandleVS446VERVS446VER - Short Vertical HandleVS447HORVS447HOR - Long Horizontal HandleVS447VERVS447VER - Long Vertical Handle

Lighting

VS855 - Change to Red LED Lights
VS856 - Change to Green LED Lights
VS857 - Change to Blue LED Lights

Shelving Type

VS403 - Change to Perforated Shelving

EU Plug

VS401 - Change to EU Plug

De-Gassed

VS1017 - De-Gassed for Air Freight

Available Accessories

A12/097 NULL

\$76/124 Perforated Shelf - for V90 - 450D







A member company of

