



F76/250 - IMC Ventus V90 Bottle Cooler [Front Load] - Glass Door -Stainless Steel Frame - H 900 mm - W 900 mm -R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V90 can be tailored to suit any bar environment.

- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 195 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Twin double-glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on

Specifications

-			
Summary		Power and Performance	
Brand	IMC	Total Power kW	0.410
Range	Ventus	Temperature Range °C	2-6
Power Type	Electric	IP Rating	IPX1
Unit Type	Free-standing	Temperature Control	Electronic
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105197584		
Key Specifications		Capacity	
Door Hinge	Left; Right	Capacity Bottles	195
Door Location	Front	Capacity Litres	214
Lockable Door	Yes		
Colour	Stainless Steel		
Number of Doors	2		
Door Type	Standard frame, glass		
Number of Shelves included	2		
Number of Shelf Positions	29		
Refrigerant Type	R290		
Type of Lighting	LED		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	900	Requires Installation	No
Unit Width (External) mm	900	Requires Electrical Supply	Yes
Unit Depth (External) mm	500	UK 3 Pin Plug	Yes
Height (Internal) mm	755	Requires Hardwiring	No
Width (Internal) mm	826	Electrical Supply Rating Watts	410
Depth (Internal) mm	377	Single Phase Amps	1.71

Net Weight Kg

Shelf Dimensions Width mm

Shelf Dimensions Depth mm

810

373

80

Single Phase Voltage

240

imc

Ventus

Shipping

Packed Weight Kg	88
Packed Height cm	106
Packed Width cm	96
Packed Depth cm	58

Available Options			
Door Type			
VS416	VS416 - Change to Fixing Point Solid Door		
VS428	VS428 - Change to Solid Door		
VS469	VS469 - Change to Frameless Glass Door		
VS472	VS472 - Change to Fixing Point Glass Door		
Wood Cladding			
VS405	VS405 - Wood Cladding Kit - Add to F-Point Door		
Handle Type			
VS446HOR	VS446HOR - Short Horizontal Handle		
VS446VER	VS446VER - Short Vertical Handle		
VS447HOR	VS447HOR - Long Horizontal Handle		
VS447VER	VS447VER - Long Vertical Handle		
Lighting			
VS855	VS855 - Change to Red LED Lights		
VS856	VS856 - Change to Green LED Lights		
VS857	VS857 - Change to Blue LED Lights		
Shelving Type			
VS360	VS360 - Change to Wine Shelving		
VS400	VS400 - Change to Perforated Shelving		
EU Plug			
VS401	VS401 - Change to EU Plug		
De-Gassed			
VS1017	VS1017 - De-Gassed for Air Freight		
Available Accessori	ies		
A12/092/Z1	Wire Shelf - Chrome - for M90 Bottle Cooler		
A12/101	Wine Shelf - Chrome - for M90 Bottle Cooler		

Perforated Shelf - for V90 - 500D

S76/047





Lincat frifri

A member company of

